

■ Product Pictures



- Philips Lumileds LED, high luminous efficiency and long working life.
- High efficiency LED Driver, the wide range input voltage AC100-277V.
- Cast aluminium cooling design better cooling, better cooling, light quality, LED Tj < 85°C.
- Excellent Optics design, greatly improve the light utilization and evenness.
- Photocell Control Available (Option)

PHILIPS
LUMILEDS

5 YEAR
WARRANTY





■ Product Applications

ECOMAXLED WALL PACK Lighting series can be widely used in indoor or outdoor lighting (Wet location) , like mechanical or electronic processing workshops, storage warehouses, steel mills, gas stations, toll booth, waiting rooms, the platforms of railway station , indoor stadiums and flower cultivating tents etc.

■ Structure Features

- Shell materials: Aluminum & PC .
- Color: Dark Bronze
- Net weight: 15.0lbs Unit: in
- Packing Size: 16.1x11.4x13.0in



■ Technical Parameters

Type	WSD-HWP15W27-50K		
Power	150W	Lighting Angle	60*90°
Input Voltage	AC100-277V	LED Brightness Decay	<5%/6000 hrs
PF	>0.95	Working Life	>50000 hrs
Driver Efficiency	>90%	Working Temperature	-22F - +113F
Luminous Flux	16000Lm	Storage Temperature	-40F - +176F
Color Temperature	5000K	Protection Level	Wet Location/IP65
CRI	Ra>80	Cable	3 core, 18AWG(1.5m)

■ Light Distribution Curve (Clear Lens)

